

**MATCH**  **LINE**


Colour Television

**29PT9015**

NICAM

## Product highlights

- 100Hz Digital Scan
- Digital CrystalClear with Dynamic Contrast and LTP2
- 3D Surround (Dolby Pro Logic capable)
- NEXTVIEW (type 3)
- 440 pages Easytext (level 2.5)
- Active control
- Improved Graphical User Interface



*Let's make things better.*



**PHILIPS**



**MATCH**  **LINE**


Colour Television

**29PT9015**

NICAM

## Product highlights

- 100Hz Digital Scan
- Digital CrystalClear with Dynamic Contrast and LTP2
- 3D Surround (Dolby Pro Logic capable)
- NEXTVIEW (type 3)
- 440 pages Easytext (level 2.5)
- Active control
- Improved Graphical User Interface



Faisons toujours mieux.



**PHILIPS**



**MATCH**  **LINE**


Colour Television

**29PT9015**

NICAM

## Product highlights

- 100Hz Digital Scan
- Digital CrystalClear with Dynamic Contrast and LTP2
- 3D Surround (Dolby Pro Logic capable)
- NEXTVIEW (type 3)
- 440 pages Easytext (level 2.5)
- Active control
- Improved Graphical User Interface



As κάνουμε τον κόσμο μας καλύτερο.



**PHILIPS**



**MATCH**  **LINE**


Colour Television

**29PT9015**

NICAM

## Product highlights

- 100Hz Digital Scan
- Digital CrystalClear with Dynamic Contrast and LTP2
- 3D Surround (Dolby Pro Logic capable)
- NEXTVIEW (type 3)
- 440 pages Easytext (level 2.5)
- Active control
- Improved Graphical User Interface



Miglioriamo il tuo mondo.



**PHILIPS**



**MATCH**  **LINE**


Colour Television

**29PT9015**

NICAM

## Product highlights

- 100Hz Digital Scan
- Digital CrystalClear with Dynamic Contrast and LTP2
- 3D Surround (Dolby Pro Logic capable)
- NEXTVIEW (type 3)
- 440 pages Easytext (level 2.5)
- Active control
- Improved Graphical User Interface



*Por si fazemos melhor.*



**PHILIPS**



**MATCH**  **LINE**


Colour Television

**29PT9015**

NICAM

## Product highlights

- 100Hz Digital Scan
- Digital CrystalClear with Dynamic Contrast and LTP2
- 3D Surround (Dolby Pro Logic capable)
- NEXTVIEW (type 3)
- 440 pages Easytext (level 2.5)
- Active control
- Improved Graphical User Interface



Juntos hacemos tu vida mejor.



**PHILIPS**

**MATCH**  **LINE**


Colour Television

**29PT9015**

NICAM

## Product highlights

- 100Hz Digital Scan
- Digital CrystalClear with Dynamic Contrast and LTP2
- 3D Surround (Dolby Pro Logic capable)
- NEXTVIEW (type 3)
- 440 pages Easytext (level 2.5)
- Active control
- Improved Graphical User Interface



*Let's make things better.*



**PHILIPS**



**MATCH**  **LINE**


Colour Television

**29PT9015**

NICAM

## Product highlights

- 100Hz Digital Scan
- Digital CrystalClear with Dynamic Contrast and LTP2
- 3D Surround (Dolby Pro Logic capable)
- NEXTVIEW (type 3)
- 440 pages Easytext (level 2.5)
- Active control
- Improved Graphical User Interface



Faisons toujours mieux.



**PHILIPS**



**MATCH**  **LINE**


Colour Television

**29PT9015**

NICAM

## Product highlights

- 100Hz Digital Scan
- Digital CrystalClear with Dynamic Contrast and LTP2
- 3D Surround (Dolby Pro Logic capable)
- NEXTVIEW (type 3)
- 440 pages Easytext (level 2.5)
- Active control
- Improved Graphical User Interface



As κάνουμε τον κόσμο μας καλύτερο.



**PHILIPS**



**MATCH**  **LINE**


Colour Television

**29PT9015**

NICAM

## Product highlights

- 100Hz Digital Scan
- Digital CrystalClear with Dynamic Contrast and LTP2
- 3D Surround (Dolby Pro Logic capable)
- NEXTVIEW (type 3)
- 440 pages Easytext (level 2.5)
- Active control
- Improved Graphical User Interface



Miglioriamo il tuo mondo.



**PHILIPS**



**MATCH**  **LINE**


Colour Television

**29PT9015**

NICAM

## Product highlights

- 100Hz Digital Scan
- Digital CrystalClear with Dynamic Contrast and LTP2
- 3D Surround (Dolby Pro Logic capable)
- NEXTVIEW (type 3)
- 440 pages Easytext (level 2.5)
- Active control
- Improved Graphical User Interface



*Por si fazemos melhor.*



**PHILIPS**



**MATCH**  **LINE**


Colour Television

**29PT9015**

NICAM

## Product highlights

- 100Hz Digital Scan
- Digital CrystalClear with Dynamic Contrast and LTP2
- 3D Surround (Dolby Pro Logic capable)
- NEXTVIEW (type 3)
- 440 pages Easytext (level 2.5)
- Active control
- Improved Graphical User Interface



Juntos hacemos tu vida mejor.



**PHILIPS**

## Product highlights


- **100 Hz Digital Scan** offers a flickerfree picture
- **Digital CrystalClear with Dynamic Contrast** Scavem, Combfilter, 9-bit processing, luminance enhancements and color enhancements. Offers a crisp and natural picture
- **3D surround** offers full surround experience without rear speakers (Dolby Pro logic capable) Includes the integrated centre speaker
- **NEXTVIEW Program Guide** (type 3) Direct access of program info of all channels (1week) and automatic programming of VCR

- **440 Pages Easytext** (level 2.5) with habit watch for fast acces to preferred pages and subcode pages
- **Active Control** Auto Digital Noise Reduction, Auto Sharpness, Auto Color, Auto contrast, Ambient Light sensor and Smart Controls. Automatically offers the best picture setting
- **Imroced Graphical User interface**
- **Active subwoofer and full digital sound processing**

## Supporting Features

- Blackline-S Ultra Flat picture tube
- Digital Colour Transient Improvement (CTI)
- Picture freeze
- EasyTune (auto store, ACI and ATS)
- EasyLink +
- Low power standby
- 120W music output incl surround
- Integrated centre speaker
- Dynamic Bass Enhancement
- 4 Loudspeakers
- Independent headphone volume control

Surround sound modes



## Technical specifications

### Chassis

- Type: FL7c-look MG

### Picture

- Screen diameter: 29"/72cm
- Visible screen size: 68cm
- Picture tube: Blackline-S Ultra Flat 4:3
- Image stability:
  - 100Hz Digital Scan
- S-Video display
- Smart Picture control (5 modes)
  - Soft, Natural, Rich, Multi media, Personal
- Brightness, contrast, tint, sharpness, colour control

### Sound

- Sound system: 4 speaker HiFi stereo
- Output (total): 120W music output
- NICAM stereo
- Frequency response:
  - 20Hz-15kHz, +1/-3dB (ampl.)
- Loudspeakers:
  - 2 x Mid-high 2x6i
  - 1x subwoofer 5"
  - 1x centre speaker 2x6i
- Smart Sound control
  - Movie, Speech, Music, Multimedia, Personal
- 5 band graphic equaliser
- Dolby Pro Logic capable, surround sound (speakerboxes not included)

### Operation

- Easy menu driven installation and operation.
- Direct acces menu's and cursor control
- Selection of 18 menu languages
- 100 preselections
- Multi-function RC handset controlling
  - TV, VCR, Sat, DVD

- On screen status display on programmes and functions (OSD)
- Sleep timer up to 180 minutes
- Electronic lock for parental control
- Favourite programme selection
- Programme title display (transmitted by TXT)
- On screen menu display:
  - Picture menu, Sound menu, Features menu, Dolby menu, Program list, Set-up menu, Installation menu, Program name giving, Language and country selection
- Dealer message and demo modes
- Dealer Link: wireless communication for installation and service

### Reception

- Tuning system: 100 fold PLL
- Colour transmission systems
  - Off-air:
    - /05, /19, /12, /58
  - PAL B/G/I + SECAM B/G/L/L'
  - SECAM D/K
- A/V connections:
  - PAL B/G
  - PAL I (UK only)
  - SECAM B/G
  - NTSC video play back
- Channel selections: 120 channels
  - VHF, UHF, S-Channels, Hyperband
- Frequency range: (47.25-855.25MHz)
- Aerial input: 75 Ohm (Coax)
- VCR preselections: 0; 50-99
- Frequency / Channel selection (Germany, Austria and Benelux only)

### Teletext

- Easytext (level 2.5): fast access to preferred pages and subcode page scroll
- Recept. standards: WST / TOP / FLOF
- Page memory: 440 pages A.I. used for
  - Habit watch, preferred page and subcode page lists
  - favorite pages
- Program independent subtitles

### Remote Control

- RC type: RC 2008
- Touch cursor

### Connections

- Front
  - S-Video in
  - video CVBS-in (cinch)
  - audio L/R-in (cinch) with automatic mono switching
  - headphone jack 3.5mm
- Rear
  - Euro A/V connector (RGB-in; CVBS-in/out) with auto image format detection
  - Euro A/V connector (RGB-in; Y/C-in/out; CVBS-in/out) with WYSIWYR select and image format detection
  - Euro A/V connector (CVBS-in)
  - 2 audio-out (cinch)
    - Constant/Variable level
  - surround sound out (cinch)

### Miscellaneous

- Ambient temperature : +5/+45°C
- Mains : AC 220-240V  $\pm$  10%
- Power consumption:
  - <115W; Stand by: 0,3W
- Weight : 43kg (excl. packaging)
- Dimensions (wxhxd): (excl. connections) 78.1x58.3x50.1cm



RC 2008

Release date : February 1999  
 Predecessor(s) : 29PT8703  
 Date of issue : December 1998

Features and specifications subject to change without notice

Let's make things better.



PHILIPS



## Product highlights


- **100 Hz Digital Scan** offers a flickerfree picture
- **Digital CrystalClear with Dynamic Contrast** Scavem, Combfilter, 9-bit processing, luminance enhancements and color enhancements. Offers a crisp and natural picture
- **3D surround** offers full surround experience without rear speakers (Dolby Pro logic capable) Includes the integrated centre speaker
- **NEXTVIEW Program Guide** (type 3) Direct access of program info of all channels (1week) and automatic programming of VCR

- **440 Pages Easytext** (level 2.5) with habit watch for fast acces to preferred pages and subcode pages
- **Active Control** Auto Digital Noise Reduction, Auto Sharpness, Auto Color, Auto contrast, Ambient Light sensor and Smart Controls. Automatically offers the best picture setting
- **Improved Graphical User interface**
- **Active subwoofer and full digital sound processing**

## Supporting Features

- Blackline-S Ultra Flat picture tube
- Digital Colour Transient Improvement (CTI)
- Picture freeze
- EasyTune (auto store, ACI and ATS)
- EasyLink +
- Low power standby
- 120W music output incl surround
- Integrated centre speaker
- Dynamic Bass Enhancement
- 4 Loudspeakers
- Independent headphone volume control

Surround sound modes



## Technical specifications

### Chassis

- Type: FL7c-look MG

### Picture

- Screen diameter: 29"/72cm
- Visible screen size: 68cm
- Picture tube: Blackline-S Ultra Flat 4:3
- Image stability: 100Hz Digital Scan
- S-Video display
- Smart Picture control (5 modes)
  - Soft, Natural, Rich, Multi media, Personal
- Brightness, contrast, tint, sharpness, colour control

### Sound

- Sound system: 4 speaker HiFi stereo
- Output (total): 120W music output
- NICAM stereo
- Frequency response: 20Hz-15kHz, +1/-3dB (ampl.)
- Loudspeakers:
  - 2 x Mid-high 2x6i
  - 1x subwoofer 5"
  - 1x centre speaker 2x6i
- Smart Sound control
  - Movie, Speech, Music, Multimedia, Personal
- 5 band graphic equaliser
- Dolby Pro Logic capable, surround sound (speakerboxes not included)

### Operation

- Easy menu driven installation and operation.
- Direct acces menu's and cursor control
- Selection of 18 menu languages
- 100 preselections
- Multi-function RC handset controlling
  - TV, VCR, Sat, DVD

- On screen status display on programmes and functions (OSD)
- Sleep timer up to 180 minutes
- Electronic lock for parental control
- Favourite programme selection
- Programme title display (transmitted by TXT)
- On screen menu display:
  - Picture menu, Sound menu, Features menu, Dolby menu, Program list, Set-up menu, Installation menu, Program name giving, Language and country selection
- Dealer message and demo modes
- Dealer Link: wireless communication for installation and service

### Reception

- Tuning system: 100 fold PLL
- Colour transmission systems
  - Off-air: /05, /19, /12, /58
  - PAL B/G/I + SECAM B/G/L/L'
  - SECAM D/K
- A/V connections:
  - PAL B/G
  - PAL I (UK only)
  - SECAM B/G
  - NTSC video play back
- Channel selections: 120 channels
  - VHF, UHF, S-Channels, Hyperband
- Frequency range: (47.25-855.25MHz)
- Aerial input: 75 Ohm (Coax)
- VCR preselections: 0; 50-99
- Frequency / Channel selection (Germany, Austria and Benelux only)

### Teletext

- Easytext (level 2.5): fast access to preferred pages and subcode page scroll
- Recept. standards: WST / TOP / FLOF
- Page memory: 440 pages A.I. used for
  - Habit watch, preferred page and subcode page lists
  - favorite pages
- Program independent subtitles

### Remote Control

- RC type: RC 2008
- Touch cursor

### Connections

- Front
  - S-Video in
  - video CVBS-in (cinch)
  - audio L/R-in (cinch) with automatic mono switching
  - headphone jack 3.5mm
- Rear
  - Euro A/V connector (RGB-in; CVBS-in/out) with auto image format detection
  - Euro A/V connector (RGB-in; Y/C-in/out; CVBS-in/out) with WYSIWYR select and image format detection
  - Euro A/V connector (CVBS-in)
  - 2 audio-out (cinch) Constant/Variable level
  - surround sound out (cinch)

### Miscellaneous

- Ambient temperature : +5/+45°C
- Mains : AC 220-240V  $\pm$  10%
- Power consumption: <115W; Stand by: 0,3W
- Weight : 43kg (excl. packaging)
- Dimensions (wxhxd): (excl. connections) 78.1x58.3x50.1cm



RC 2008

Release date : February 1999  
 Predecessor(s) : 29PT8703  
 Date of issue : December 1998

Features and specifications subject to change without notice


## Product highlights

- **100 Hz Digital Scan** offers a flickerfree picture
- **Digital CrystalClear with Dynamic Contrast** Scavem, Combfilter, 9-bit processing, luminance enhancements and color enhancements. Offers a crisp and natural picture
- **3D surround** offers full surround experience without rear speakers (Dolby Pro logic capable) Includes the integrated centre speaker
- **NEXTVIEW Program Guide** (type 3) Direct access of program info of all channels (1week) and automatic programming of VCR
- **440 Pages Easytext** (level 2.5) with habit watch for fast acces to preferred pages and subcode pages
- **Active Control** Auto Digital Noise Reduction, Auto Sharpness, Auto Color, Auto contrast, Ambient Light sensor and Smart Controls. Automatically offers the best picture setting
- **Imroced Graphical User interface**
- **Active subwoofer and full digital sound processing**

## Supporting Features

- Blackline-S Ultra Flat picture tube
- Digital Colour Transient Improvement (CTI)
- Picture freeze
- EasyTune (auto store, ACI and ATS)
- EasyLink +
- Low power standby
- 120W music output incl surround
- Integrated centre speaker
- Dynamic Bass Enhancement
- 4 Loudspeakers
- Independent headphone volume control

Surround sound modes



## Technical specifications

### Chassis

- Type: FL7c-look MG

### Picture

- Screen diameter: 29"/72cm
- Visible screen size: 68cm
- Picture tube: Blackline-S Ultra Flat 4:3
- Image stability: 100Hz Digital Scan
- S-Video display
- Smart Picture control (5 modes)
  - Soft, Natural, Rich, Multi media, Personal
- Brightness, contrast, tint, sharpness, colour control

### Sound

- Sound system: 4 speaker HiFi stereo
- Output (total): 120W music output
- NICAM stereo
- Frequency response: 20Hz-15kHz, +1/-3dB (ampl.)
- Loudspeakers:
  - 2 x Mid-high 2x6i
  - 1x subwoofer 5"
  - 1x centre speaker 2x6i
- Smart Sound control
  - Movie, Speech, Music, Multimedia, Personal
- 5 band graphic equaliser
- Dolby Pro Logic capable, surround sound (speakerboxes not included)

### Operation

- Easy menu driven installation and operation.
- Direct acces menu's and cursor control
- Selection of 18 menu languages
- 100 preselections
- Multi-function RC handset controlling
  - TV, VCR, Sat, DVD

- On screen status display on programmes and functions (OSD)
- Sleep timer up to 180 minutes
- Electronic lock for parental control
- Favourite programme selection
- Programme title display (transmitted by TXT)
- On screen menu display:
  - Picture menu, Sound menu, Features menu, Dolby menu, Program list, Set-up menu, Installation menu, Program name giving, Language and country selection
- Dealer message and demo modes
- Dealer Link: wireless communication for installation and service

### Reception

- Tuning system: 100 fold PLL
- Colour transmission systems Off-air: /05, /19, /12, /58
  - PAL B/G/I + SECAM B/G/L/L'
  - SECAM D/K
- A/V connections:
  - PAL B/G
  - PAL I (UK only)
  - SECAM B/G
  - NTSC video play back
- Channel selections: 120 channels VHF, UHF, S-Channels, Hyperband
- Frequency range: (47.25-855.25MHz)
- Aerial input: 75 Ohm (Coax)
- VCR preselections: 0; 50-99
- Frequency / Channel selection (Germany, Austria and Benelux only)

### Teletext

- Easytext (level 2.5): fast access to preferred pages and subcode page scroll
- Recept. standards: WST / TOP / FLOF
- Page memory: 440 pages A.I. used for
  - Habit watch, preferred page and subcode page lists
  - favorite pages
- Program independent subtitles

### Remote Control

- RC type: RC 2008
- Touch cursor

### Connections

- Front
  - S-Video in
  - video CVBS-in (cinch)
  - audio L/R-in (cinch) with automatic mono switching
  - headphone jack 3.5mm
- Rear
  - Euro A/V connector (RGB-in; CVBS-in/out) with auto image format detection
  - Euro A/V connector (RGB-in; Y/C-in/out; CVBS-in/out) with WYSIWYR select and image format detection
  - Euro A/V connector (CVBS-in)
  - 2 audio-out (cinch) Constant/Variable level
  - surround sound out (cinch)

### Miscellaneous

- Ambient temperature : +5/+45°C
- Mains : AC 220-240V  $\pm$  10%
- Power consumption: <115W; Stand by: 0,3W
- Weight : 43kg (excl. packaging)
- Dimensions (wxhxd): (excl. connections) 78.1x58.3x50.1cm



RC 2008

Release date : February 1999  
 Predecessor(s) : 29PT8703  
 Date of issue : December 1998

Features and specifications subject to change without notice




## Product highlights

- **100 Hz Digital Scan** offers a flickerfree picture
- **Digital CrystalClear with Dynamic Contrast** Scavem, Combfilter, 9-bit processing, luminance enhancements and color enhancements. Offers a crisp and natural picture
- **3D surround** offers full surround experience without rear speakers (Dolby Pro logic capable) Includes the integrated centre speaker
- **NEXTVIEW Program Guide** (type 3) Direct access of program info of all channels (1week) and automatic programming of VCR
- **440 Pages Easytext** (level 2.5) with habit watch for fast acces to preferred pages and subcode pages
- **Active Control** Auto Digital Noise Reduction, Auto Sharpness, Auto Color, Auto contrast, Ambient Light sensor and Smart Controls. Automatically offers the best picture setting
- **Imroced Graphical User interface**
- **Active subwoofer and full digital sound processing**

## Supporting Features

- Blackline-S Ultra Flat picture tube
- Digital Colour Transient Improvement (CTI)
- Picture freeze
- EasyTune (auto store, ACI and ATS)
- EasyLink +
- Low power standby
- 120W music output incl surround
- Integrated centre speaker
- Dynamic Bass Enhancement
- 4 Loudspeakers
- Independent headphone volume control

Surround sound modes



## Technical specifications

### Chassis

- Type: FL7c-look MG

### Picture

- Screen diameter: 29"/72cm
- Visible screen size: 68cm
- Picture tube: Blackline-S Ultra Flat 4:3
- Image stability: 100Hz Digital Scan
- S-Video display
- Smart Picture control (5 modes)
  - Soft, Natural, Rich, Multi media, Personal
- Brightness, contrast, tint, sharpness, colour control

### Sound

- Sound system: 4 speaker HiFi stereo
- Output (total): 120W music output
- NICAM stereo
- Frequency response: 20Hz-15kHz, +1/-3dB (ampl.)
- Loudspeakers:
  - 2 x Mid-high 2x6i
  - 1x subwoofer 5"
  - 1x centre speaker 2x6i
- Smart Sound control
  - Movie, Speech, Music, Multimedia, Personal
- 5 band graphic equaliser
- Dolby Pro Logic capable, surround sound (speakerboxes not included)

### Operation

- Easy menu driven installation and operation.
- Direct acces menu's and cursor control
- Selection of 18 menu languages
- 100 preselections
- Multi-function RC handset controlling
  - TV, VCR, Sat, DVD

- On screen status display on programmes and functions (OSD)
- Sleep timer up to 180 minutes
- Electronic lock for parental control
- Favourite programme selection
- Programme title display (transmitted by TXT)
- On screen menu display:
  - Picture menu, Sound menu, Features menu, Dolby menu, Program list, Set-up menu, Installation menu, Program name giving, Language and country selection
- Dealer message and demo modes
- Dealer Link: wireless communication for installation and service

### Reception

- Tuning system: 100 fold PLL
- Colour transmission systems
  - Off-air: /05, /19, /12, /58
  - PAL B/G/I + SECAM B/G/L/L'
  - SECAM D/K
- A/V connections:
  - PAL B/G
  - PAL I (UK only)
  - SECAM B/G
  - NTSC video play back
- Channel selections: 120 channels
  - VHF, UHF, S-Channels, Hyperband
- Frequency range: (47.25-855.25MHz)
- Aerial input: 75 Ohm (Coax)
- VCR preselections: 0; 50-99
- Frequency / Channel selection (Germany, Austria and Benelux only)

### Teletext

- Easytext (level 2.5): fast access to preferred pages and subcode page scroll
- Recept. standards: WST / TOP / FLOF
- Page memory: 440 pages A.I. used for
  - Habit watch, preferred page and subcode page lists
  - favorite pages
- Program independent subtitles

### Remote Control

- RC type: RC 2008
- Touch cursor

### Connections

- Front
  - S-Video in
  - video CVBS-in (cinch)
  - audio L/R-in (cinch) with automatic mono switching
  - headphone jack 3.5mm
- Rear
  - Euro A/V connector (RGB-in; CVBS-in/out) with auto image format detection
  - Euro A/V connector (RGB-in; Y/C-in/out; CVBS-in/out) with WYSIWYR select and image format detection
  - Euro A/V connector (CVBS-in)
  - 2 audio-out (cinch) Constant/Variable level
  - surround sound out (cinch)

### Miscellaneous

- Ambient temperature : +5/+45°C
- Mains : AC 220-240V  $\pm$  10%
- Power consumption: <115W; Stand by: 0,3W
- Weight : 43kg (excl. packaging)
- Dimensions (wxhxd): (excl. connections) 78.1x58.3x50.1cm



RC 2008

Release date : February 1999  
 Predecessor(s) : 29PT8703  
 Date of issue : December 1998

Features and specifications subject to change without notice

## Product highlights


- **100 Hz Digital Scan** offers a flickerfree picture
- **Digital CrystalClear with Dynamic Contrast** Scavem, Combfilter, 9-bit processing, luminance enhancements and color enhancements. Offers a crisp and natural picture
- **3D surround** offers full surround experience without rear speakers (Dolby Pro logic capable) Includes the integrated centre speaker
- **NEXTVIEW Program Guide** (type 3) Direct access of program info of all channels (1week) and automatic programming of VCR

- **440 Pages Easytext** (level 2.5) with habit watch for fast acces to preferred pages and subcode pages
- **Active Control** Auto Digital Noise Reduction, Auto Sharpness, Auto Color, Auto contrast, Ambient Light sensor and Smart Controls. Automatically offers the best picture setting
- **Improved Graphical User interface**
- **Active subwoofer and full digital sound processing**

## Supporting Features

- Blackline-S Ultra Flat picture tube
- Digital Colour Transient Improvement (CTI)
- Picture freeze
- EasyTune (auto store, ACI and ATS)
- EasyLink +
- Low power standby
- 120W music output incl surround
- Integrated centre speaker
- Dynamic Bass Enhancement
- 4 Loudspeakers
- Independent headphone volume control

Surround sound modes



## Technical specifications

### Chassis

- Type: FL7c-look MG

### Picture

- Screen diameter: 29"/72cm
- Visible screen size: 68cm
- Picture tube: Blackline-S Ultra Flat 4:3
- Image stability:
  - 100Hz Digital Scan
- S-Video display
- Smart Picture control (5 modes)
  - Soft, Natural, Rich, Multi media, Personal
- Brightness, contrast, tint, sharpness, colour control

### Sound

- Sound system: 4 speaker HiFi stereo
- Output (total): 120W music output
- NICAM stereo
- Frequency response:
  - 20Hz-15kHz, +1/-3dB (ampl.)
- Loudspeakers:
  - 2 x Mid-high 2x6i
  - 1x subwoofer 5"
  - 1x centre speaker 2x6i
- Smart Sound control
  - Movie, Speech, Music, Multimedia, Personal
- 5 band graphic equaliser
- Dolby Pro Logic capable, surround sound (speakerboxes not included)

### Operation

- Easy menu driven installation and operation.
- Direct acces menu's and cursor control
- Selection of 18 menu languages
- 100 preselections
- Multi-function RC handset controlling
  - TV, VCR, Sat, DVD

- On screen status display on programmes and functions (OSD)
- Sleep timer up to 180 minutes
- Electronic lock for parental control
- Favourite programme selection
- Programme title display (transmitted by TXT)
- On screen menu display:
  - Picture menu, Sound menu, Features menu, Dolby menu, Program list, Set-up menu, Installation menu, Program name giving, Language and country selection
- Dealer message and demo modes
- Dealer Link: wireless communication for installation and service

### Reception

- Tuning system: 100 fold PLL
- Colour transmission systems
  - Off-air:
    - /05, /19, /12, /58
  - PAL B/G/I + SECAM B/G/L/L'
  - SECAM D/K
- A/V connections:
  - PAL B/G
  - PAL I (UK only)
  - SECAM B/G
  - NTSC video play back
- Channel selections: 120 channels
  - VHF, UHF, S-Channels, Hyperband
- Frequency range: (47.25-855.25MHz)
- Aerial input: 75 Ohm (Coax)
- VCR preselections: 0; 50-99
- Frequency / Channel selection (Germany, Austria and Benelux only)

### Teletext

- Easytext (level 2.5): fast access to preferred pages and subcode page scroll
- Recept. standards: WST / TOP / FLOF
- Page memory: 440 pages A.I. used for
  - Habit watch, preferred page and subcode page lists
  - favorite pages
- Program independent subtitles

### Remote Control

- RC type: RC 2008
- Touch cursor

### Connections

- Front
  - S-Video in
  - video CVBS-in (cinch)
  - audio L/R-in (cinch) with automatic mono switching
  - headphone jack 3.5mm
- Rear
  - Euro A/V connector (RGB-in; CVBS-in/out) with auto image format detection
  - Euro A/V connector (RGB-in; Y/C-in/out; CVBS-in/out) with WYSIWYR select and image format detection
  - Euro A/V connector (CVBS-in)
  - 2 audio-out (cinch)
    - Constant/Variable level
  - surround sound out (cinch)

### Miscellaneous

- Ambient temperature : +5/+45°C
- Mains : AC 220-240V  $\pm$  10%
- Power consumption:
  - <115W; Stand by: 0,3W
- Weight : 43kg (excl. packaging)
- Dimensions (wxhxd): (excl. connections) 78.1x58.3x50.1cm



RC 2008

Release date : February 1999  
 Predecessor(s) : 29PT8703  
 Date of issue : December 1998

Features and specifications subject to change without notice




## Product highlights

- **100 Hz Digital Scan** offers a flickerfree picture
- **Digital CrystalClear with Dynamic Contrast** Scavem, Combfilter, 9-bit processing, luminance enhancements and color enhancements. Offers a crisp and natural picture
- **3D surround** offers full surround experience without rear speakers (Dolby Pro logic capable) Includes the integrated centre speaker
- **NEXTVIEW Program Guide** (type 3) Direct access of program info of all channels (1week) and automatic programming of VCR
- **440 Pages Easytext** (level 2.5) with habit watch for fast acces to preferred pages and subcode pages
- **Active Control** Auto Digital Noise Reduction, Auto Sharpness, Auto Color, Auto contrast, Ambient Light sensor and Smart Controls. Automatically offers the best picture setting
- **Imroced Graphical User interface**
- **Active subwoofer and full digital sound processing**

## Supporting Features

- Blackline-S Ultra Flat picture tube
- Digital Colour Transient Improvement (CTI)
- Picture freeze
- EasyTune (auto store, ACI and ATS)
- EasyLink +
- Low power standby
- 120W music output incl surround
- Integrated centre speaker
- Dynamic Bass Enhancement
- 4 Loudspeakers
- Independent headphone volume control

Surround sound modes



## Technical specifications

### Chassis

- Type: FL7c-look MG

### Picture

- Screen diameter: 29"/72cm
- Visible screen size: 68cm
- Picture tube: Blackline-S Ultra Flat 4:3
- Image stability: 100Hz Digital Scan
- S-Video display
- Smart Picture control (5 modes)
  - Soft, Natural, Rich, Multi media, Personal
- Brightness, contrast, tint, sharpness, colour control

### Sound

- Sound system: 4 speaker HiFi stereo
- Output (total): 120W music output
- NICAM stereo
- Frequency response: 20Hz-15kHz, +1/-3dB (ampl.)
- Loudspeakers:
  - 2 x Mid-high 2x6i
  - 1x subwoofer 5"
  - 1x centre speaker 2x6i
- Smart Sound control
  - Movie, Speech, Music, Multimedia, Personal
- 5 band graphic equaliser
- Dolby Pro Logic capable, surround sound (speakerboxes not included)

### Operation

- Easy menu driven installation and operation.
- Direct acces menu's and cursor control
- Selection of 18 menu languages
- 100 preselections
- Multi-function RC handset controlling
  - TV, VCR, Sat, DVD

- On screen status display on programmes and functions (OSD)
- Sleep timer up to 180 minutes
- Electronic lock for parental control
- Favourite programme selection
- Programme title display (transmitted by TXT)
- On screen menu display:
  - Picture menu, Sound menu, Features menu, Dolby menu, Program list, Set-up menu, Installation menu, Program name giving, Language and country selection
- Dealer message and demo modes
- Dealer Link: wireless communication for installation and service

### Reception

- Tuning system: 100 fold PLL
- Colour transmission systems Off-air: /05, /19, /12, /58
  - PAL B/G/I + SECAM B/G/L/L'
  - SECAM D/K
- A/V connections:
  - PAL B/G
  - PAL I (UK only)
  - SECAM B/G
  - NTSC video play back
- Channel selections: 120 channels VHF, UHF, S-Channels, Hyperband
- Frequency range: (47.25-855.25MHz)
- Aerial input: 75 Ohm (Coax)
- VCR preselections: 0; 50-99
- Frequency / Channel selection (Germany, Austria and Benelux only)

### Teletext

- Easytext (level 2.5): fast access to preferred pages and subcode page scroll
- Recept. standards: WST / TOP / FLOF
- Page memory: 440 pages A.I. used for
  - Habit watch, preferred page and subcode page lists
  - favorite pages
- Program independent subtitles

### Remote Control

- RC type: RC 2008
- Touch cursor

### Connections

- Front
  - S-Video in
  - video CVBS-in (cinch)
  - audio L/R-in (cinch) with automatic mono switching
  - headphone jack 3.5mm
- Rear
  - Euro A/V connector (RGB-in; CVBS-in/out) with auto image format detection
  - Euro A/V connector (RGB-in; Y/C-in/out; CVBS-in/out) with WYSIWYR select and image format detection
  - Euro A/V connector (CVBS-in)
  - 2 audio-out (cinch) Constant/Variable level
  - surround sound out (cinch)

### Miscellaneous

- Ambient temperature : +5/+45°C
- Mains : AC 220-240V  $\pm$  10%
- Power consumption: <115W; Stand by: 0,3W
- Weight : 43kg (excl. packaging)
- Dimensions (wxhxd): (excl. connections) 78.1x58.3x50.1cm



RC 2008

Release date : February 1999  
 Predecessor(s) : 29PT8703  
 Date of issue : December 1998

Features and specifications subject to change without notice



29PT9015\_FTL1.EPS



29PT9015\_FTL2.EPS



29PT9015\_FTR1.EPS